CATALOGO

60X120 | 24”X48”

LEVIGATO | POLISHED

FLOOR ITALIA
CERAMICHE

KINGSMAN
COLLECTION

BY FLOOR ITALIA CERAMICHE

EDIZIONE **MERCURIO**

DESIGNED IN ITALY

PRISMA STATUARIO

60X120 | 24”X48”

FLOOR ITALIA
CERAMICHE



PRISMA STATUARIO 60X120 | 24”X48”

SCAN ME

KINGSMAN COLLECTION
BY FLOOR ITALIA CERAMICHE

GRES PORCELLANATO LEVIGATO RETTIFICATO
POLISHED RECTIFIED PORCELAIN TILES

FLOOR ITALIA
CERAMICHE

LEVIGATO | POLISHED

KINGSMAN COLLECTION
BY FLOOR ITALIA CERAMICHE



PRISMA STATUARIO 60X120 | 24”X48”

6 FACCE | 6 FACES



BIANCO COVELANO

60X120 | 24”X48”

FLOOR ITALIA
CERAMICHE



BIANCO COVELANO 60X120 | 24”X48”

SCAN ME

KINGSMAN COLLECTION
BY FLOOR ITALIA CERAMICHE

GRES PORCELLANATO LEVIGATO RETTIFICATO
POLISHED RECTIFIED PORCELAIN TILES

FLOOR ITALIA
CERAMICHE

LEVIGATO | POLISHED

KINGSMAN COLLECTION
BY FLOOR ITALIA CERAMICHE



BIANCO COVELANO 60X120 | 24”X48”

8 FACCE | 8 FACES



CALACATTA IMPERIALE

60X120 | 24”X48”

FLOOR ITALIA
CERAMICHE



GRES PORCELLANATO LEVIGATO RETTIFICATO
POLISHED RECTIFIED PORCELAIN TILES

FLOOR ITALIA
CERAMICHE

LEVIGATO | POLISHED

KINGSMAN COLLECTION
BY FLOOR ITALIA CERAMICHE



8 FACCE | 8 FACES



MARMO CREMA

60X120 | 24”X48”

FLOOR ITALIA
CERAMICHE



MARMO CREMA 60X120 | 24”X48”

SCAN ME

KINGSMAN COLLECTION
BY FLOOR ITALIA CERAMICHE

GRES PORCELLANATO LEVIGATO RETTIFICATO
POLISHED RECTIFIED PORCELAIN TILES

FLOOR ITALIA
CERAMICHE

LEVIGATO | POLISHED

KINGSMAN COLLECTION
BY FLOOR ITALIA CERAMICHE



MARMO CREMA 60X120 | 24”X48”

8 FACCE | 8 FACES



MARMO GRIGIO

60X120 | 24”X48”

FLOOR ITALIA
CERAMICHE



KINGSMAN COLLECTION
BY FLOOR ITALIA CERAMICHE

SCAN ME

GRES PORCELLANATO LEVIGATO RETTIFICATO
POLISHED RECTIFIED PORCELAIN TILES

FLOOR ITALIA
CERAMICHE

LEVIGATO | POLISHED

KINGSMAN COLLECTION
BY FLOOR ITALIA CERAMICHE



8 FACCE | 8 FACES



STATUARIO SASSOLUNGO 60X120 | 24”X48”

FLOOR ITALIA CERAMICHE



STATUARIO SASSOLUNGO 60X120 | 24”X48”

GRES PORCELLANATO LEVIGATO RETTIFICATO
POLISHED RECTIFIED PORCELAIN TILES

FLOOR ITALIA CERAMICHE


LEVIGATO | POLISHED

KINGSMAN COLLECTION
BY FLOOR ITALIA CERAMICHE



STATUARIO SASSOLUNGO 60X120 | 24”X48”

8 FACCE | 8 FACES



ONICE GRIGIO

60X120 | 24”X48”

FLOOR ITALIA
CERAMICHE



GRES PORCELLANATO LEVIGATO RETTIFICATO
POLISHED RECTIFIED PORCELAIN TILES


FLOOR ITALIA
CERAMICHE

LEVIGATO | POLISHED

KINGSMAN COLLECTION
BY FLOOR ITALIA CERAMICHE



6 FACCE | 6 FACES



ONICE FANTASY

60X120 | 24”X48”

FLOOR ITALIA
CERAMICHE



ONICE FANTASY 60X120 | 24”X48”

SCAN ME

KINGSMAN COLLECTION
BY FLOOR ITALIA CERAMICHE

GRES PORCELLANATO LEVIGATO RETTIFICATO
POLISHED RECTIFIED PORCELAIN TILES

FLOOR ITALIA
CERAMICHE


LEVIGATO | POLISHED

KINGSMAN COLLECTION
BY FLOOR ITALIA CERAMICHE



ONICE FANTASY 60X120 | 24”X48”

6 FACCE | 6 FACES



SCHEDA TECNICA | TECHNICAL DATA SHEET

Serie / Collection: Kingsman | Formato / Size: 60x120 cm | 24”x48” | 9.2±0.2 mm

Gres Porcellanato levigato rettificato
Polished rectified porcelain tiles

Caratteristica *Characteristics*	**Metodo di prova** *Test Methods*	**Requisiti** *Requirements* **EN 14411/ISO 13006-G**	**Risultati** *Results*
Aspetto *Surface quality*	ISO 10545-2	95%	**Buono 100%** *100% good*
Lunghezza e larghezza *Length and width*	ISO 10545-2	W ≤ ± 0,6	**Conforme** Complies
Lunghezza e larghezza *Length and width*	ISO 10545-2	**Deviazione % max dalla dimensione media ≤ ± 0,5** *Deviation % max from the manufacturing size (W) ≤ ± 5*	**Conforme** *Complies*
Spessore Thickness	ISO 10545-2	9.2 ± 0.2 mm	**Conforme** *Complies*
Rettilineità degli spigoli *Straightness of sizes*	ISO 10545-2	**Deviazione** / *Deviation %* max ≤ ± 0,5	**Conforme** *Complies*
Ortogonalità *Rectangularity*	ISO 10545-2	**Deviazione** / *Deviation %* max ≤ ± 0,6	**Conforme** *Complies*
Planarità *Surface flatness*	ISO 10545-2	**Deviazione** / *Deviation %* max ≤ ± 0,5	**Conforme** *Complies*
Planarità Svergolamento Surface flatness	ISO 10545-2	**Deviazione** / *Deviation %* max ≤ ± 0,5	**Conforme** *Complies*
Assorbimento d’acqua % *Water absorption %*	ISO 10545-3	Medio ≤ 0,5	0,16
Resistenza a flessione (N/mm²) *Bending strength (N/mm²)*	ISO 10545-4	R ≥ 35	R = 43
Sforzo di rottura (N) *Breaking strength (N)*	ISO 10545-4	S ≥1300	2220
Resistenza all’abrasione profonda (mm3) *Resistance to surface abrasion (mm³)*	ISO 10545-6	≤175	145
Sbalzi termici *Thermal shock*	ISO 10545-9	**Metodo di prova disponibile** *Test Method available*	**Resistente** *Resistant*
Resistenza al gelo *Frost resistance*	ISO 10545-12	**Richiesta** *Required*	**Resistente** *Resistant*
Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina *Resistance to household chemical and swimming pool water*	ISO 10545-13	GB-min	GA
Resistenza alle macchie **Olio d'oliva** *Resistance to staining Olive Oil*	ISO 10545-14	Minimum Class 3	Class 5

IMBALLI | PACKING INFO

Scatola		
PZ	M² / SQM	KG
2	1,44	29,50

Box		
PC	SQ.FT	LBS
2	15.50	65.04

1x Pedana		
Scatole	M² / SQM	Peso Lordo KG
30	43,20	900,00

1x Pallet		
Boxes	SQ.FT	GW LBS
30	465	1,984.16

CONTAINER	1x 20 FCL, 27 T		
	Pedane	Scatole	M² / SQM
	30	900	1.296,00

1x 20 FCL, 27 Tons		
Pallets	Box	SQ.FT
30	900	13,950.01

Peso Lordo 1x 20 FCL | 27 T | 27.000,00 KG

G.W. 1x 20 FCL | 27 tons | 59,524.81 LBS



FLOOR ITALIA
CERAMICHE

World of Italy srl
Ufficio & Sede legale
Headquarter & Showroom

Via Spineta 12/B
84091 Battipaglia (SA) Italy
P.IVA | VAT.No. IT 04145340651
+39 0828 308161

ITALIA & EUROPE
sales@flooritaliaceramiche.it
office@flooritaliaceramiche.it

INTERNATIONAL
export@flooritaliaceramiche.it

Showroom & Deposito
Warehouse

Via Radici in Piano, 71
41043 Formigine (MO) Italy

@flooritaliaceramiche
www.flooritaliaceramiche.it

EDIZIONE **MERCURIO**

KINGSMAN COLLECTION
BY FLOOR ITALIA CERAMICHE